



[Webmin For Mac Os X](#)

Local Groups

Delete Selected Groups

Select all. | Invert selection. | Create a new group.

Group name	Group ID	Members
<input type="checkbox"/> adm	4	adm daemon
<input type="checkbox"/> alex	3031	httpd
<input type="checkbox"/> alltest	3028	
<input type="checkbox"/> allfeatures	3016	
<input type="checkbox"/> anotherfreedomain	3042	httpd
<input type="checkbox"/> atnametest	3034	httpd
<input type="checkbox"/> bin	1	bin daemon
<input type="checkbox"/> bind	19	
<input type="checkbox"/> bjork	3003	
<input type="checkbox"/> boat	3022	httpd
<input type="checkbox"/> clamav	3065	
<input type="checkbox"/> daemon	2	bin daemon
<input type="checkbox"/> database	17	
<input type="checkbox"/> dba	3067	
<input checked="" type="checkbox"/> deniedssh	3040	sellme
<input type="checkbox"/> dip	40	
<input type="checkbox"/> disk	6	
<input type="checkbox"/> djbuddacom	3030	
<input type="checkbox"/> domayns	3041	lara alex suzie test20 boat emily sellme drawing mcam filmfestival passwordproblem pptest atnametest fudu.homelinux.com reselptest oclicence newlogintest
<input type="checkbox"/> drawing	3026	httpd jcameron
<input type="checkbox"/> drongos	3066	
<input type="checkbox"/> emily	3006	
<input type="checkbox"/> eudyfour	3027	
<input type="checkbox"/> filmfestival	3033	httpd jcameron
<input type="checkbox"/> foo	3002	
<input type="checkbox"/> foo+domain-admins	3001	
<input type="checkbox"/> fronny	3008	
<input type="checkbox"/> fronttest1	3011	
<input type="checkbox"/> ftp	50	
<input type="checkbox"/> fudu	3039	httpd
<input type="checkbox"/> games	20	
<input type="checkbox"/> gdm	58	
<input type="checkbox"/> ...	...	...

[Webmin For Mac Os X](#)



Download

---

How to install Webmin on Mac OS X 10.1.x or 10.2.x Webmin is a web-based interface for system administration for Unix..  
/setup.sh This will run the installation script The good news is that it is OS X savvy, so you don't have to provide any  
intervention.. sh from the new version and entering the same configuration directory as last time.. conf sudo echo '## webmin'  
>> /etc/firewall.conf sudo echo '#####' >> /etc/firewall.. Unlike many  
other programs, the Webmin scripts do not get copied to another location when installing.

sudo mv webmin-1.030 /usr/local/bin/webmin-1.030 cd /usr/local/bin/webmin-1.030 sudo.

## webmin

webinar, webinar meaning, webmin, webminal, webmineral, webmin ubuntu, webminal login, webmin port, webmin install,  
webmin default password, webinarjam

Using any browser that supports tables and forms, you can setup user accounts, Apache, internet services, DNS, file sharing and  
so on.. This will setup Webmin to run from that directory You can also upgrade an existing webmin install by running setup..  
After running setup.sh, do not delete this directory as it contains all the scripts and programs that will be used by Webmin when  
it is running.. Webmin consists of a simple web server, and a number of CGI programs which directly update system files like  
/etc/inetd.. Along the way it will ask for locations and settings; the defaults are fine:Config file directory [/etc/webmin]: Log file  
directory [/var/webmin]: Full path to perl (default /usr/bin/perl): (Feel free to change the server port to whatever you want)Web  
server port (default 10000): Login name (default admin): Login password: Password again: The Perl SSL library is not  
installed.

## webinar

conf sudo echo 'add 3014 allow tcp from any 10000 to any out via en0' >> /etc/firewall.. SSL not available Start Webmin at  
boot time (y/n): Test it out by firing up your favorite web browser (lynx or otherwise) and navigate to: http://localhost:10000(or  
substitute your alternate port, naturally) If you have a firewall installed, you will have open the port you assigned above (the  
example below assumes ipfw/Brickhouse): Load your settings immediatelysudo ipfw add 3014 allow tcp from any to any 10000  
in via en0 sudo ipfw add 3014 allow tcp from any 10000 to any out via en0 Then get it to stick.. Then: curl -O http://telia.nl  
sourceforge.net/sourceforge/webadmin/webmin-1.030.. ' to ' conf' Enjoy your newfound web configurability!Webmin For Mac  
Os X 10.7. (The hashes make it match Brickhouse entries ) sudo echo  
'#####' >> /etc/firewall.

## webmin ubuntu

conf and /etc/passwd The web server and all CGI programs are written in Perl version 5, and use only the standard perl  
modules.. conf sudo echo 'add 3014 allow tcp from any to any 10000 in via en0' >> /etc/firewall.. tar.gz tar -xzf webmin-1.030  
tar.gzYou may or may not want it to live in /usr/local/bin; it's up to your particular configuration move it wherever you want the  
executable to live.. For more information, see http://www.webmin.com/ Great, let's go get it First, cd to your downloads or  
source repository.. conf Note: the first two lines above are broken by the forum software All four lines should be entered as  
single lines, from 'sudo.. To setup webmin, simply run the setup.sh shell script, which should be found in the same directory as  
this README file. e10c415e6f